## **CLAIMS**


We claim:

## 1. Compounds of the general formula (I):

wherein

A is a heteroalkyl-, heterocycloalkyl-, heteroalkyl-cycloalkyl-, heteroaryl- or heteroarylalkyl group,

G-E is selected from the following groups,



or is part of an optionally substituted cyclpropyl ring,

n is 0, 1 or 2,

R<sup>1</sup> is a C<sub>1</sub>-C<sub>4</sub> alkyl- or a C<sub>3</sub>-C<sub>4</sub>-cycloalkyl group,

X is oxygen or a group of the formula NR<sup>2</sup>, wherein R<sup>2</sup> is hydrogen, OH, NH<sub>2</sub>, NH(Alkyl), N(alkyl)<sub>2</sub>, a alkyl-, alkenyl-, alkynyl-, hetero-alkyl-, aryl-, heteroaryl-, cycloalkyl-, alkylcyclo-alkyl-, heteroalkylcycloalkyl-, heterocycloalkyl-, aralkyl- or a heteroaralkyl group,

R<sup>3</sup> and R<sup>4</sup> are independently of each other hydrogen, a C<sub>1</sub>-C<sub>4</sub> alkyl group or together are part of a cycloalkyl group with 3 or 4 ring atoms,

or a pharmacologically acceptable salt, solvate, hydrate or a pharmacologically acceptable formulation thereof.

- 2. Compounds according to claim 1, wherein A is a group of the formula  $C(CH_3)=CHR^5$ ,  $-C(C_2H_5)=CHR^5$ ,  $-C(Cl)=CHR^5$  or  $-CH=CHR^5$ , wherein  $R^5$  is a heteroaryl- or a heteroarylalkyl group.
- 3. Compounds according toclaim 1, wherein A is a group of the general formula (II) to (V), preferentially (II) or (III):

wherein

Q a sulphur, oxygen or a group of the formula  $NR^7$  is, wherein  $R^7$  is hydrogen, a  $C_1$ - $C_4$  alkyl group or a  $C_1$ - $C_4$ -heteroalkyl group, z is nitrogen or a CH group and  $R^6$  is a group of the formula  $OR^8$  or  $NHR^8$ , a alkyl-, alkenyl, alkinyl- or a heteroalkyl group, wherein  $R^8$  is hydrogen, a  $C_1$ - $C_4$ -alkyl group or a  $C_1$ - $C_4$ -heteroalkyl group.

- 4. Compounds according to claim 3, wherein z is a CH-group.
- 5. Compounds according to claim 3 or 4, wherein Q is sulphur or oxygen.

- 6. Compounds according to the claims 3 to 5, wherein R<sup>6</sup> is a group of the formula CH<sub>3</sub>, CH<sub>2</sub>OH or CH<sub>2</sub>NH<sub>2</sub>.
- 7. Compounds according to the claims 1 to 6, wherein X is oxygen.
- 8. Compounds according to the claims 1 to 7, wherein R<sup>1</sup> is a methyl group.
- 9. Compounds according to the claims 1 to 8, wherein  $R^3$  and  $R^4$  are methyl groups.
- 10. (1,1-Dialkyl-2-oxo-butylsulfanyl)-acetic acid and ist derivatives as building blocks for the syntheses of compounds (I). Derivates are compounds with variations in analogy to the C1-C6-moiety and building blocks of 3-thiaepothilones (I), especially sulfoxides, sulfones, esters, amides, 3-haloderivates, preferentially (3-bromo-1,1-dimethyl-2-oxo-butylsulfanyl)-acetic acid esters of methanol and ethanol, and their sulfoxides.
- 11. Pharmaceutical compositions containing a compound according to any one of the claims 1 to 9 and optionally carrier and/or adjuvants.
- 12. Use of a compound or a pharmaceutical composition according to any one of the preseding claims 1 to 10 for the treatment of cancer diseases.